Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. Kendrew

ASSISTANT EDITOR
S. Brenner

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 161

15 October to 15 November 1982

QH
301
.J73

ACADEMIC PRESS
London New York San Francisco

Copyright © 1982, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 161

Number 1, 15 October 1982

Van Rompuy, L., Jou, W. M., Huylebroeck, D. and Fiers, W., Complete Nucleotide Sequence of a Human Influenza Neuraminidase Gene of Subtype N2 (A/Victoria/3/75). 1

Sambucetti, L., Eoyang, L. and Silverman, P. M., Cellular Control of Conjugation in *Escherichia coli* K12. Effect of Chromosomal *cpx* Mutations on F-plasmid Gene Expression 13

Stalker, D. M., Kolter, R. and Helinski, D. R., Plasmid R6K DNA Replication. I. Complete Nucleotide Sequence of an Autonomously Replicating Segment 33

Kolter, R. and Helinski, D. R., Plasmid R6K DNA Replication. II. Direct Nucleotide Sequence Repeats are Required for an Active γ-Origin . 45

Shafferman, A., Kolter, R., Stalker, D. and Helinski, D. R., Plasmid R6K DNA Replication. III. Regulatory Properties of the π Initiation Protein 57

Russev, G. and Vassilev, L., Isolation of a DNA Fraction from Ehrlich Ascites Tumour Cells Containing the Putative Origin of Replication . 77

Lake, J. A., Ribosomal Subunit Orientations Determined in the Monomeric Ribosome by Single and by Double-labeling Immune Electron Microscopy 89

Frank, J., Verschoor, A. and Boublik, M., Multivariate Statistical Analysis of Ribosome Electron Micrographs. L and R Lateral Views of the 40 S Subunit from HeLa Cells 107

Appendix: Frank, J. and van Heel, M., Correspondence Analysis of Aligned Images of Biological Particles 134

Bijlholt, M. M. C., van Heel, M. G. and van Bruggen, E. F. J., Comparison of 4×6-meric Hemocyanins from Three Different Arthropods using Computer Alignment and Correspondence Analysis 139

Nicolini, C., Carlo, P., Martelli, A., Finollo, R., Bignone, F. A., Patrone, E., Trefiletti, V. and Brambilla, G., Viscoelastic Properties of Native DNA From Intact Nuclei of Mammalian Cells. Higher-order DNA Packing and Cell Function 155

Parak, F., Knapp, E. W. and Kucheida, D., Protein Dynamics. Mössbauer Spectroscopy on Deoxymyoglobin Crystals 177

LETTERS TO THE EDITOR

ULLU, E. ESPOSITO, V. and MELLI, M., Evolutionary Conservation of the Human 7 S RNA Sequences 195

FENNA, R. E., Crystallization of Cow α-Lactalbumin 203

FENNA, R. E., Crystallization of Human α-Lactalbumin . . . 211

NUMBER 2, 25 OCTOBER 1982

WEGNER, A., Kinetic Analysis of Actin Assembly Suggests that Tropomyosin Inhibits Spontaneous Fragmentation of Actin Filaments 217

JUNGHANS, R. P., MURPHY, E. C. JR and ARLINGHAUS, R. B., Electron Microscopic Analysis of ts110 Moloney Mouse Sarcoma Virus, a Variant of Wild-type Virus with Two RNAs Containing Large Deletions . . 229

Appendix: JUNGHANS, R. P., Statistical Procedures in Electron Microscopy 251

STENSLAND, B. and CASTENSSON, S., X-ray Conformational Analysis of the Potent Thyroliberin Analogue L-Pyroglutamyl-β-(2-thienyl)-L-analyl-L-prolinamide 257

KUNTZ, I. D., BLANEY, J. M., OATLEY, S. J., LANGRIDGE, R. and FERRIN, T. E., A Geometric Approach to Macromolecule–Ligand Interactions . . 269

LEE, C.-H. and CHARNEY, E., Solution Conformation of DNA . . . 289

GELLATLY, B. J. and FINNEY, J. L., Calculation of Protein Volumes: An Alternative to the Voronoi Procedure 305

LEE, T. N. H. and SINGER, M. F., Structural Organization of α-Satellite DNA in a Single Monkey Chromosome 323

LETTER TO THE EDITOR

CALLADINE, C. R., Mechanics of Sequence-dependent Stacking of Bases in *B*-DNA 343

NUMBER 3, 5 NOVEMBER 1982

BOZZONI, I., TOGNONI, A., PIERANDREI-AMALDI, P., BECCARI, E., BUONGIORNO-NARDELLI, M. and AMALDI, F., Isolation and Structural Analysis of Ribosomal Protein Genes in *Xenopus laevis*. Homology Between Sequences Present in the Gene and in Several Different Messenger RNAs 353

ERNST, J. F., STEWART, J. W. and SHERMAN, F., Formation of Composite Iso-cytochromes *c* by Recombination Between Non-allelic Genes of Yeast . 373

GOLDBETER, A. and KOSHLAND, D. E. JR, Simple Molecular Model for Sensing and Adaptation Based on Receptor Modification with Application to Bacterial Chemotaxis 395

Appendix 412

NICK, H., ARNDT, K., BOSCHELLI, F., JAREMA, M. A., LILLIS, M., SOMMER, H., LU, P. and SADLER, J., Repressor–Operator Interaction in the *lac* Operon. II. Observations at the Tyrosines and Tryptophans 417

ARNDT, K., NICK, H., BOSCHELLI, F., LU, P. and SADLER, J., Repressor–Operator Interaction in the *lac* Operon. III. Nuclear Magnetic Resonance Observations with Altered Amino-terminal DNA Binding Domains . 439

HEWAT, E. A., TRANQUI, L. and WADE, R. H., Structural Study of Modified Fibrinogen Microcrystals by Electron Miscoscopy 459

NUMBER 4, 15 NOVEMBER 1982

VÖLKER, T. A., GAFNER, J., BICKLE, T. A. and SHOWE, M. K., Gene *67*, a New, Essential Bacteriophage T4 Head Gene Codes for a Prehead Core Component, PIP. I. Genetic Mapping and DNA Sequence 479

VÖLKER, T. A., KUHN, A., SHOWE, M. K. and BICKLE, T. A., Gene *67*, a New, Essential Bacteriophage T4 Head Gene Codes for a Prehead Core Component, PIP. II. The Construction *in Vitro* of Unconditionally Lethal Mutants and their Maintenance 491

NIEDERMAN, R. and PETERS, L. K., Native Bare Zone Assemblage Nucleates Myosin Filament Assembly 505

BEDOUELLE, H., SCHMEISSNER, U., HOFNUNG, M. and ROSENBERG, M., Promoters of the *malEFG* and *malK-lamB* Operons in *Escherichia coli* K12 519

LUTHMAN, H., NILSSON, M.-G. and MAGNUSSON, G., Non-contiguous Segments of the Polyoma Genome Required in *cis* for DNA Replication . . 533

KATO, S., AIZAWA, S. and ASAKURA, S., Reconstitution *in Vitro* of the Flagellar Polyhook from *Salmonella* 551

FUNK, J., WUNDERLICH, F. and KREUTZ, W, Temperature-induced Vertical Shift of Proteins in Membranes 561

CHANG, J.-J., LEONARD, K., ARAD, T., PITT, T., ZHANG, Y.-X. and ZHANG, L.-H., Structural Studies of the Outer Envelope of *Chlamydia trachomatis* by Electron Microscopy 579

HEINEMANN, U., PAL, G. P., HILGENFELD, R. and SAENGER, W., Crystal and Molecular Structure of the Sulfhydryl Protease Calotropin DI at 3·2 Å Resolution 591

LETTER TO THE EDITOR

WEGNER, A., Treadmilling of Actin at Physiological Salt Concentrations. An Analysis of the Critical Concentrations of Actin Filaments . 607

Index to Volume 161

Actin assembly, kinetic analysis suggests that tropomyosin inhibits spontaneous fragmentation of actin filaments, 217
— treadmilling at physiological salt concentrations: an analysis of the critical concentrations of actin filaments, 607
Adaptation and sensing, simple molecular model based on receptor modification with application to bacterial chemotaxis, 395
AIZAWA, S. (see also KATO, S.), 551
Aligned images of biological particles, correspondence analysis, 134
Alignment, computer, and correspondence analysis used in comparison of 4×6-meric hemocyanins from three different arthropods, 139
AMALDI, F. (see also NARDELLI, M.), 353
ARAD, T. (see also CHANG, J.-J.), 579
ARNDT, K., NICK, H., BOSCHELLI, F., LU, P. & SADLER, J., Repressor-operator interactions in the *lac* operon. III. Nuclear magnetic resonance observations with altered amino-terminal DNA binding domains, 439
ARLINGHAUS, R. B. (see also JUNGHANS, R. P.), 229
ARNDT, K. (see also NICK, H.), 417
Arthropod 4×6-meric hemocyanins, comparison using computer alignment and correspondence analysis, 139
ASAKURA, S. (see also KATO, S.), 551
Assemblage, native bare zone, nucleates myosin filament assembly, 505
Assembly of actin, kinetic analysis suggests that tropomyosin inhibits spontaneous fragmentation of actin filaments, 217

Bacterial chemotaxis and a simple molecular model for sensing and adaptation based on receptor modification, 395
Bacteriophage T4 head gene *67* codes for a prehead core component, PIP. I. Genetic mapping and DNA sequence, 479
— — — — — — — — — — — — —, —. II. The construction *in vitro* of unconditionally lethal mutants and their maintenance, 491
Bare zone assemblage, native, nucleates myosin filament assembly, 505
Bases in *B*-DNA, mechanics of sequence-dependent stacking, 343
BECCARI, E. (see also BOZZONI, I.), 353
BEDOUELLE, H., SCHMEISSNER, Y., HOFNUNG, M. & ROSENBERG, M., Promoters of the *malEFG* and *malK-lamB* operons in *Escherichia coli* K12, 519
BICKLE, T. A. (see also VÖLKER, T. A.), 479, 491
BIGNONE, F. A. (see also NICOLINI, C.), 155
BIJLHOLT, M. M. C., VAN HEEL, M. G. & VAN BRUGGEN, E. F. J., Comparison of 4×6-meric hemocyanins from three different arthropods using computer alignment and correspondence analysis, 139
BLANEY, J. M. (see also KUNTZ, I. D.), 269
BOSCHELLI, F. (see also ARNDT, K.), 439
— (see also NICK, H.), 417
BOUBLIK, M. (see also FRANK, J.), 107
BOZZONI, I., TOGNONI, A., PIERANDREI-AMALDI, P., BECCARI, E., BUONGIORNO-NARDELLI, M. & AMALDI, F. Isolation and structural analysis of ribosomal protein genes in *Xenopus laevis*. Homology between sequences present in the gene and in several different messenger RNAs, 353
BRAMBILLA, G. (see also NICOLINI, C.), 155
BUONGIORNO-NARDELLI, M. (see also BOZZONI, I.), 353

CALLADINE, C. R., Mechanics of sequence-dependent stacking of bases in *B*-DNA, 343
Calotropin DI, crystal and molecular structure at 3·2 Å resolution, 591
CARLO, P. (see also NICOLINI, C.), 155
CASTENSSON, S. (see also STENSLAND, B.), 257

Cellular control of conjugation in *Escherichia coli* K12; effect of chromosomal *cpx* mutations on F-plasmid gene expression, 13
CHANG, J.-J., LEONARD, K., ARAD, T., PITT, T., ZHANG, Y.-X. & ZHANG, L.-H., Structural studies of the outer envelope of *Chlamydia trachomatis* by electron microscopy, 579
CHARNEY, E. (see also LEE, C.-H.), 289
Chemotaxis, bacterial, and a simple molecular model for sensing and adaptation based on receptor modification, 395
Chlamydia trachomatis, structural studies of the outer envelope by electron microscopy, 579
Chromosomal *cpx* mutations, effect on F-plasmid gene expression; cellular control of conjugation in *Escherichia coli* K12, 13
Chromosome, monkey, single, structural organization of α-satellite DNA, 323
Composite genes of yeast: formation of composite iso-cytochromes *c* by recombination between non-allelic genes, 373
Conformation, solution, of DNA, 289
Conjugation in *Escherichia coli* K12, cellular control; effect of chromosomal *cpx* mutations on F-plasmid gene expression, 13
Correspondence analysis of aligned images of biological particles, 134
— — use in comparison of 4×6-meric hemocyanins from three different arthropods, 139
Cow α-lactalbumin crystallization, 203
cpx mutations, effect on F-plasmid gene expression; cellular control of conjugation in *Escherichia coli* K12, 13
Crystal and molecular structure of the sulfhydryl calotropin DI at 3·2 Å resolution, 591
Crystallization of cow α-lactalbumin, 203
— — human α-lactalbumin, 211

Deoxymyoglobin crystals, Mössbauer spectroscopy, protein dynamics, 177
DNA, α-satellite, in a single monkey chromosome, structural organization, 323
— fraction from Ehrlich ascites tumour cells containing the putative origin of replication, 77
—, native, from intact nuclei of mammalian cells, viscoelastic properties; higher-order DNA packing and cell function, 155
—: n.m.r. observations with altered amino-terminal DNA binding domains; repressor-operator interaction in the *lac* operon, 439
— replication, non-contiguous segments of the polyoma genome required in *cis*, 533
— —, R6K. I. Complete nucleotide sequence of an autonomously replicating segment, 33
— —, —. II. Direct nucleotide sequence repeats are required for an active γ-origin, 45
— — —. III. Regulatory properties of the π initiation protein, 57
— sequence and mapping for gene *67*, a new, essential T4 head gene coding for a prehead core component, PIP, 479
—, solution conformation, 289
B-DNA, mechanics of sequence-dependent stacking of bases, 343

Ehrlich ascites tumour cells, isolation of a DNA fraction containing the putative origin of replication, 77
Electron micrographs of ribosomes, use of multivariate statistical analysis; L and R lateral views of the 40 S subunit from HeLa cells, 107
— microscopic analysis of ts110 Moloney mouse sarcoma virus, a variant of wild-type virus with two RNAs containing large deletions, 229
— — structural study of modified fibrinogen microcrystals, 459
— — — studies of the outer envelope of *Chlamydia trachomatis*, 579
— microscopy, statistical procedures, 251
EOYANG, L. (see also SAMBUCETTI, L.), 13
ERNST, J. F., STEWART, J. W. & SHERMAN, F., Formation of composite isocytochromes *c* by recombination between non-allelic genes of yeast, 373
Escherichia coli K12, cellular control of conjugation; effect of chromosomal *cpx* mutations on F-plasmid gene expression, 13
— — —, promoters of the *malEFG* and *malK-lamB* operons, 519
ESPOSITO, V. (see also ULLU, E.), 195
Evolutionary conservation of the human 7 S RNA sequences, 195

FENNA, R. E., Crystallization of cow α-lactalbumin, 203
—, — — human α-lactalbumin, 211

FERRIN, T. E. (see also KUNTZ, I. D.), 269
Fibrinogen, modified, structural study of microcrystals by electron microscopy, 459
FIERS, W. (see also VAN ROMPUY, L.), 1
Filament assembly, myosin, is nucleated by native bare zone assemblage, 505
FINNEY, J. L. (see also GELLATLY, B. J.), 305
FINOLLO, R. (see also NICOLINI, C.), 155
Flagellar polyhook from *Salmonella*, reconstitution *in vitro*, 551
F-plasmid gene expression, effect of chromosomal *cpx* mutations; cellular control of conjugation in *Escherichia* K12, 13
Fragmentation, spontaneous, of actin filaments is inhibited by tropomyosin, 217
FRANK, J. & VAN HEEL, M., Correspondence analysis of aligned images of biological particles (*Appendix* to FRANK, J. *et al.*, 107), 134
—, VERSCHOOR, A. & BOUBLIK, M., Multivariate statistical analysis of ribosome electron micrographs. L and R lateral views of the 40 S subunit from HeLa cells, 107
FUNK, J., WUNDERLICH, F. & KREUTZ, W., Temperature-induced vertical shift proteins in membranes, 561

GAFNER, J. (see also VÖLKER, T. A.), 479
GELLATLY, B. J. & FINNEY, J. L., Calculation of protein volumes: an alternative to the Voronoi procedure, 305
Gene expression, F-plasmid, effect of chromosomal *cpx* mutations; cellular control of conjugation in *Escherichia coli* K12, 13
—, neuraminidase, human influenza, of subtype N2 (A/Victoria/3/75); complete nucleotide sequence, 1
— *67*, a new, essential bacteriophage T4 head gene codes for a prehead core component, PIP. II. The construction *in vitro* of unconditionally lethal mutants and their maintenance, 491
— —, — —, — — — — — — — — — — — — —, —. I. Genetic mapping and DNA sequence, 479
Genes, composite, of yeast: formation of composite iso-cytochromes *c* by recombination between non-allelic genes, 373
—, ribosomal protein, in *Xenopus laevis*, isolation and structural analysis; homology between sequences present in the gene and in several different mRNAs, 353
Geometric approach to macromolecule–ligand interactions, 269
GOLDBETER, A. & KOSHLAND, D. E. JR, Simple molecular model for sensing and adaptation based on receptor modification with application to bacterial chemotaxis, 395

HEINEMANN, U., PAL, G. P., HILGENFELD, R. & SAENGER, W., Crystal and molecular structure of the sulfhydryl protease calotropin DI at 3·2 Å resolution, 591
HeLa cells, L and R lateral views of the 40 S subunit; multivariate statistical analysis of ribosome electron micrographs, 107
HELINSKI, D. R. (see also KOLTER, R.), 45
— (see also SHAFFERMAN, A.), 57
— (see also STALKER, D. M.), 33
Hemocyanins, 4 × 6-meric, from three different arthropods, comparison using computer alignment and correspondence analysis, 139
HEWAT, E. A., TRANQUI, L. & WADE, R. H., Structural study of modified fibrinogen microcrystals by electron microscopy, 459
HILGENFELD, R. (see also HEINEMANN, U.), 591
HOFNUNG, M. (see also BEDOUELLE, H.), 519
Human α-lactalbumin crystallization, 211
— 7 S RNA sequences, evolutionary conservation, 195
HUYLEBROECK, D. (see also VAN ROMPUY, L.), 1

Immune electron microscopy, single and double-labeling, used to determine ribosomal subunit orientations in the monomeric ribosome, 89
Influenza neuraminidase gene of subtype N2 (A/Victoria/3/75), complete nucleotide sequence, 1
Iso-cytochromes *c*, composite, formation by recombination between non-allelic genes of yeast, 373

JAREMA, M. A. (see also NICK, H.), 417
JOU, W. M. (see also VAN ROMPUY, L.), 1
JUNGHANS, R. P., Statistical procedures in electron microscopy (*Appendix* to JUNGHANS, R. P. *et al.*, 229), 251

—, MURPHY, E. C. JR & ARLINGHAUS, R. B., Electron microscopic analysis of ts110 Moloney mouse sarcoma virus, a variant of wild-type virus with two RNAs containing large deletions, 229

KATO, S., AIZAWA, S. & ASAKURA, S., Reconstitution *in vitro* of the flagellar polyhook from *Salmonella*, 551
KNAPP, E. W. (see also PARAK, F.), 177
KOLTER, R. & HELINSKI, D. R., Plasmid R6K DNA replication. II. Direct nucleotide sequence repeats are required for an active γ-origin, 45
— (see also SHAFFERMAN, A.), 57
— (see also STALKER, D. M.), 33
KOSHLAND, D. E. JR (see also GOLDBETER, A.), 395
KREUTZ, W. (see also FUNK, J.), 561
KUCHEIDA, D. (see also PARAK, F.), 177
KUHN, A. (see also VÖLKER, T. A.), 491
KUNTZ, I. D., BLANEY, J. M., OATLEY, S. J., LANDRIDGE, R. & FERRIN, T. E., A geometric approach to macromolecule-ligand interactions, 269

lac operon repressor-operator interaction. Nuclear magnetic resonance observations with altered amino-terminal DNA binding domains, 439
— — —.— —. Observations at the tyrosines and tryptophans, 417
α-Lactalbumin, cow, crystallization, 203
—, human, crystallization, 211
LAKE, J. A., Ribosomal subunit orientations determined in the monomeric ribosome by single and by double-labeling immune electron microscopy, 89
LANGRIDGE, R. (see also KUNTZ, I. D.), 269
LEE, C.-H. & CHARNEY, E., Solution conformation of DNA, 289
LEE, T. N. H. & SINGER, M. F., Structural organization of α-satellite DNA in a single monkey chromosome, 323
LEONARD, K. (see also CHANG, J.-J.), 579
Ligand–macromolecule interactions, a geometric approach, 269
LILLIS, M. (see also NICK, H.), 417
LU, P. (see also ARNDT, K.), 439
— (see also NICK, H.), 417
LUTHMAN, H., NILSSON, M.-G. & MAGNUSSON, G., Non-contiguous segments of the polyoma genome required in *cis* for DNA replication, 533

Macromolecule–ligand interactions, a geometric approach, 269
MAGNUSSON, G. (see also LUTHMAN, H.), 533
malEFG and *malK-lamB* operon promoters in *Escherichia coli* K12, 519
Mammalian cells, viscoelastic properties of native DNA from intact nuclei; higher-order DNA packing and cell function, 155
MARTELLI, A. (see also NICOLINI, C.), 155
MELLI, M. (see also ULLU, E.), 195
Membranes, temperature-induced vertical shift of proteins, 561
Messenger RNA sequences, homology with sequences present in ribosomal protein genes in *Xenopus laevis*, 353
Moloney mouse sarcoma virus, ts110, a variant of wild-type virus with two RNAs containing large deletions; electron microscopic analysis, 229
Monkey chromosome, single, structural organization of α-satellite DNA, 323
Mössbauer spectroscopy on deoxymyoglobin crystals; protein dynamics, 177
Multivariate statistical analysis of ribosome electron micrographs; L and R lateral views of the 40 S subunit from HeLa cells, 107
MURPHY, E. C. JR (see also JUNGHANS, R. P.), 229
Myosin filament assembly is nucleated by native bare zone assemblage, 505

N2 (A/Victoria/3/75) human influenza neuraminidase gene, complete nucleotide sequence, 1
Neuraminidase gene, human influenza, of subtype N2 (A/Victoria/3/75); complete nucleotide sequence, 1

NICK, H., ARNDT, K., BOSCHELLI, F., JAREMA, M. A., LILLIS, M., SOMMER, H., LU, P. & SADLER, J., Repressor-operated interaction in the *lac* operon. II. Observations at the tyrosines and tryptophans, 417
— (see also ARNDT, K.), 439
NICOLINI, C., CARLO, P., MARTELLI, A., FINOLLO, R., BIGNONE, F. A., PATRONE, E., TREFILETTI, V. & BRAMBILLA, G., Viscoelastic properties of native DNA from intact nuclei of mammalian cells. Higher-order DNA packing and cell function, 155
NIEDERMAN, R. & PETERS, L. K., Native bare zone assemblage nucleates myosin filament assembly, 505
NILSSON, M.-G. (see also LUTHMAN, H.), 533
Nuclear magnetic resonance observations with altered amino-terminal DNA binding domains; repressor–operator interaction in the *lac* operon, 439
Nucleotide sequence of an autonomously replicating segment of plasmid R6K, 33
—, —, complete, of a human influenza neuraminidase gene of subtype N2 (A/Victoria/3/75), 1
— — repeats, direct, are required for an active γ-origin of plasmid R6K, 45

OATLEY, S. J. (see also KUNTZ, I. D.), 269
Orientations of ribosomal subunits determined in the monomeric ribosome by single and by double-labeling immune electron microscopy, 89
γ-Origin, R6K, active, requires direct nucleotide sequence repeats, 45
Outer envelope of *Chlamydia trachomatis*, structural studies by electron microscopy, 579

PAL, G. P. (see also HEINEMANN, U.), 591
PARAK, F., KNAPP, E. W. & KUCHEIDA, D., Protein dynamics. Mössbauer spectroscopy on deoxymyoglobin crystals, 177
Particles, biological, correspondence analysis of aligned images, 134
PATRONE, E. (see also NICOLINI, C.), 155
PETERS, L. K. (see also NIEDERMAN, R.), 505
π initiation protein regulatory properties; plasmid R6K DNA replication, 57
Plasmid R6K DNA replication. I. Complete nucleotide sequence of an autonomously replicating system, 33
— — — —. II. Direct nucleotide sequence repeats are required for an active γ-origin, 45
— — — —. III. Regulatory properties of the π initiation protein, 57
PIERANDREI-AMALDI, P. (see also BOZZONI, I.), 353
PIP, a prehead core component, is coded for by gene *67*, a new, essential T4 head gene. II. The construction *in vitro* of unconditionally lethal mutants and their maintenance, 491
—, — — — —, — — — — — —, — —, — — — —. I. Genetic mapping and DNA sequence, 479
PITT, T. (see also CHANG, J.-J.), 579
Polyoma genome, non-contiguous segments required in *cis* for DNA replication, 533
Polyhook, flagellar, from *Salmonella*, reconstitution *in vitro*, 551
Prehead core component, PIP, is coded for by gene *67*, a new, essential T4 head gene. II. The construction *in vitro* of unconditionally lethal mutants and their maintenance, 491
— — —, —, — — — — — —, — —, — — — —. I. Genetic mapping and DNA sequence, 479
Promoters of the *malEFG* and *malK-lamB* operons in *Escherichia coli* K12, 519
Protein dynamics. Mössbauer spectroscopy on deoxymyoglobin crystals, 177
— temperature-induced vertical shift in membranes, 561
— volume calculations: an alternative to the Voronoi procedure, 305
L-Pyroglutamyl-β-(2-thienyl)-L-alanyl-L-prolinamide, X-ray conformational analysis of the potent thyroliberin analogue, 257

R6K plasmid DNA replication. I. Complete nucleotide sequence of an autonomously replicating segment, 33
— — — —. II. Direct nucleotide sequence repeats are required for an active γ-origin, 45
— — — —. III. Regulatory properties of the π initiation protein, 57
Receptor modification and a simple molecular model for sensing and adaptation, 395
Reconstruction *in vitro* of the flagellar polyhook from *Salmonella*, 551
Replication, DNA, non-contiguous segments of the polyoma genome required in *cis*, 533
—, —, R6K. I. Complete nucleotide sequence of an autonomously replicating segment, 33
—, —, —. II. Direct nucleotide sequence repeats are required for an active γ-origin, 45
—, —, —. III. Regulatory properties of the π initiation protein, 57
— origin, putative, contained in isolated DNA fraction from Ehrlich ascites tumour cells, 77

Repressor–operator interaction in the *lac* operon. Nuclear magnetic resonance observations with altered amino-terminal DNA binding domains, 439
—— — — — — —. Observations at the tyrosines and tryptophans, 417
RNA 7 S sequences, human, show evolutionary conservation, 195
Ribosomal protein genes in *Xenopus laevis*. isolation and structural analysis: homology between sequences present in the gene and in several different mRNAs, 353
— subunit orientations determined in the monomeric ribosome by single and by double-labeling immune electron microscopy, 89
— electron micrographs. multivariate statistical analysis: L and R lateral views of the 40 S subunit from HeLa cells, 107
ROSENBERG, M. (see also BEDOUELLE, H.), 519
RUSSEV, G. & VASSILEV, L., Isolation of a DNA fraction from Ehrlich ascites tumour cells containing the putative origin of replication, 77

SADLER, J. (see also ARNDT, K.), 439
—, — (see also NICK, H.), 417
SAENGER, W. (see also HEINEMANN, U.), 591
Salmonella, reconstruction *in vitro* of the flagellar polyhook, 551
SAMBUCETTI, L., EOYANG, L. & SILVERMAN, P. M., Cellular control of conjugation in *Escherichia coli* K12. Effect of chromosomal *cpx* mutations on F-plasmid gene expression, 13
α-Satellite DNA in a single monkey chromosome, structural organization, 323
SCHMEISSNER, U. (see also BEDOUELLE, H.), 519
Sensing and adaptation. simple molecular model based on receptor modification with application to bacterial chemotaxis, 395
Sequence. DNA. and genetic mapping of gene *67*. a new. essential bacteriophage T4 head gene coding for a prehead core component, PIP, 479
— homology between genes and several different mRNAs: structural analysis of ribosomal protein genes in *Xenopus laevis*, 353
—, nucleotide, of an autonomously replicating segment of plasmid R6K, 33
—, nucleotide, complete, of a human influenza neuraminidase gene of subtype N2 (A/Victoria 3/75), 1
— repeats, direct, are required for an active γ-origin of plasmid R6K, 45
Sequences of human 7 S RNA show evolutionary conservation, 195
Sequence-dependent stacking mechanics of bases in *B*-DNA, 343
SHAFFERMAN, A., KOLTER, R., STALKER, D. & HELINSKI, D. R., Plasmid R6K DNA replication. III. Regulatory properties of the π initiation protein, 57
SHERMAN, F. (see also ERNST, J. F.), 373
SHOWE, M. K. (see also VÖLKER, T. A.), 479, 491
SILVERMAN, P. M. (see also SAMBUCETTI, L.), 13
SINGER, M. F. (see also LEE, T. N. H.), 323
Solution conformation of DNA, 289
SOMMER, H. (see also NICK, H.), 417
Stacking, sequence-dependent, mechanics of bases in *B*-DNA, 343
STALKER, D. M., KOLTER, R. & HELINSKI, D. R., Plasmid R6K DNA replication. I. Complete nucleotide sequence of an autonomously replicating segment, 33
STALKER, D. (see also SHAFFERMAN, A.), 57
STENSLAND, B. & CASTENSSON, S., X-ray conformational analysis of the potent thyroliberin analogue L-pyroglutamyl-β-(2-thienyl)-L-alanyl-L-prolinamide, 257
STEWART, J. W. (see also ERNST, J. F.), 373
Structural analysis of ribosomal protein genes in *Xenopus laevis*. Homology between sequences present in the gene and in several different mRNAs, 353
— organization of α-satellite DNA in a single monkey chromosome, 323
— studies of the outer envelope of *Chlamydia trachomatis* by electron microscopy, 579
— study of modified fibrinogen microcrystals by electron microscopy, 459
Structure, crystal and molecular, of the sulfhydryl protease calotropin DI at 3·2 Å resolution, 591
Sulfhydryl protease calotropin DI, crystal and molecular structure at 3·2 Å resolution, 591

T4 (see also Bacteriophage), 479, 491
Temperature-induced vertical shift of proteins in membranes, 561
Thyroliberin analogue L-pyroglutamyl-β-(2-thienyl)-L-alanyl-L-prolinamide, X-ray conformational analysis, 257
TOGNONI, A. (see also BOZZONI, I.), 353

TRANQUI, L. (see also HEWAT, E. A.), 459
Treadmilling of actin at physiological salt concentrations; an analysis of the critical concentrations of actin filaments, 607
TREFILETTI, V. (see also NICOLINI, C.), 155
Tropomyosin inhibition of spontaneous fragmentation of actin filaments is suggested by kinetic analysis of actin assembly, 217
Tryptophan and tyrosine observations of repressor-operator interaction in the *lac* operon, 417
ts110 Moloney mouse sarcoma virus, a variant of wild-type virus with two RNAs containing large deletions; electron microscopic analysis, 229
Tyrosine and tryptophan observations of repressor-operator interaction in the *lac* operon, 417

ULLU, E., ESPOSITO, V. & MELLI, M., Evolutionary conservation of the human 7 S RNA sequences, 195

VAN BRUGGEN, E. F. J. (see also BIJHOLT, M. M. C.), 139
VAN HEEL, M. (see also FRANK, J.), 134
VAN HEEL, M. G. (see also BIJHOLT, M. M. C.), 139
VAN ROMPUY, L., JOU, W. M., HUYLEBROECK, D. & FIERS, W., Complete nucleotide sequence of a human influenza neuraminidase gene of subtype N2 (A/Victoria/3/75), 1
VASSILEV, L. (see also RUSSEV, G.), 77
VERSCHOOR, A. (see also FRANK, J.), 107
Vertical shift, temperature-induced, of proteins in membranes, 561
Virus, ts110 Moloney mouse sarcoma, a variant of wild-type virus with two RNAs containing large deletions; electron microscopic analysis, 229
Viscoelastic properties of native DNA from intact nuclei of mammalian cells. Higher-order DNA packing and cell function, 155
VÖLKER, T. A., GAFNER, J., BICKLE, T. A. & SHOWE, M. K., Gene *67*, a new, essential bacteriophage T4 head gene codes for a prehead core component, PIP. I. Genetic mapping and DNA sequence, 479
—, KUHN, A., SHOWE, M. K. & BICKLE, T. A., Gene *67*, a new, essential bacteriophage T4 head gene codes for a prehead core component, PIP. II. The construction *in vitro* of unconditionally lethal mutants and their maintenance, 491
Volumes of proteins, an alternative to the Voronoi procedure for calculation, 305
Voronoi method of calculation of protein volumes: an alternative procedure, 305

WADE, R. H. (see also HEWAT, E. A.), 459
WEGNER, A., Kinetic analysis of actin assembly suggests that tropomyosin inhibits spontaneous fragmentation of actin filaments, 217
—, Treadmilling of actin at physiological salt concentrations. An analysis of the critical concentrations of actin filaments, 607
WUNDERLICH, F. (see also FUNK, J.), 561

Xenopus laevis, isolation and structural analysis of ribosomal protein genes; homology between sequences present in the gene and in several different mRNAs, 353
X-ray conformational analysis of the potent thyroliberin analogue L-pyroglutamyl-β-(2-thienyl)-L-alanyl-L-prolinamide, 257
Yeast, formation of composite iso-cytochromes *c* by recombination between non-allelic genes, 373

ZHANG, L.-H. (see also CHANG, J.-J.), 579
ZHANG, Y.-X. (see also CHANG, J.-J.), 579